



2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Client Name: Gautier Agricultural Company
Client Address: 3100 Ladnier Road, Gautier, Ms 39553
License Number: CULV004130

Sample Name: The Bridge .5g Prerolls
Sample ID: MS16190
METRC ID (LOT#): 1A4230100003AFD000004245
Batch Number: 1A4230100003AFD000004204
Sample Matrix: Raw Preroll
Total Batch Size (#), Units in Batch (count):
Total Sample Weight (g), Units Sampled (count): 20
Sample Density(g/ml):
Servings Per Container (#):
Serving Mass (g):
Grams per Package:
Date Sampled: 12/17/2025
Date Received: 12/17/2025
Date Reported: 12/29/2025

Sample Result: PASS



Cannabinoids PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #131860

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	ND	ND	0.0213	0.0644
CBD	ND	ND	ND	ND	0.0313	0.0949
CBDA	0.0936	0.936	0.0845	0.845	0.0348	0.1049
CBDV	ND	ND	ND	ND	0.0387	0.1180
CBG	0.2037	2.037	0.1839	1.839	0.0318	0.0967
CBGA	2.2111	22.111	1.9957	19.957	0.0335	0.1014
CBN	ND	ND	ND	ND	0.0305	0.0919
d8-THC	ND	ND	ND	ND	0.0248	0.0753
d9-THC	0.8735	8.735	0.7884	7.884	0.0253	0.0762
THCA	30.1713	301.713	27.2326	272.326	0.0261	0.0784
THCV	ND	ND	ND	ND	0.0309	0.0932

Total Cannabinoids		
	% (Dry)	mg/g (Dry)
Total THC:	27.3	273.337
Total CBD:	0.082	0.821
Total Cannabinoids:	29.559	295.587

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #131864

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
Terpinolene	0.3862	3.862	0.031	0.246
beta-Caryophyllene	0.2212	2.212	0.032	0.328
Total Bisabolene	0.1785	1.785	0.007	0.055
(±)-Limonene	0.1461	1.461	0.032	0.246
beta-Myrcene	0.1164	1.164	0.032	0.260
(Z)-beta-Ocimene	0.0716	0.716	0.022	0.209
(-) beta-Pinene	0.0672	0.672	0.032	0.275
(-)-Linalool	0.0664	0.664	0.032	0.428
alpha-Humulene	0.0642	0.642	0.031	0.281
Total Terpineol	0.0533	0.533	0.007	0.078
(+) alpha-Pinene	0.0523	0.523	0.032	0.337
(E)-beta-Ocimene	0.0403	0.403	0.010	0.097
Fenchyl Alcohol	0.0301	0.301	0.032	0.271
Total Farnesene	< LOQ	< LOQ	0.022	0.073
Camphene	<LOQ	<LOQ	0.032	0.285
Sabinene	<LOQ	<LOQ	0.032	0.255
alpha-Phellandrene	<LOQ	<LOQ	0.032	0.280
(+)-3-delta-Carene	<LOQ	<LOQ	0.032	0.332
alpha-Terpinene	<LOQ	<LOQ	0.032	0.321
Eucalyptol	<LOQ	<LOQ	0.032	0.305
gamma-Terpinene	<LOQ	<LOQ	0.032	0.226
Sabinene Hydrate	<LOQ	<LOQ	0.031	0.357
Fenchone	<LOQ	<LOQ	0.032	0.196
(±)-Borneol	<LOQ	<LOQ	0.063	0.697
Nerol	<LOQ	<LOQ	0.032	0.703
Pulegone	<LOQ	<LOQ	0.032	0.369
Geranyl Acetate	<LOQ	<LOQ	0.032	0.398
alpha-Cedrene	<LOQ	<LOQ	0.032	0.284
cis-Nerolidol	<LOQ	<LOQ	0.032	0.522
trans-Nerolidol	<LOQ	<LOQ	0.032	0.556
Caryophyllene Oxide	<LOQ	<LOQ	0.032	0.319
(-)-alpha-Bisabolol	<LOQ	<LOQ	0.032	0.401
(±)-Isopulegol	ND	ND	0.032	0.410
Camphor	ND	ND	0.063	0.428
Isoborneol	ND	ND	0.032	0.293
Menthol	ND	ND	0.032	0.308
Geraniol	ND	ND	0.079	0.598
(+)-Valencene	ND	ND	0.032	0.343
Guaiol	ND	ND	0.032	0.321
Cedrol	ND	ND	0.032	0.319
Total Terpenes	2.2334	22.334		

Moisture

PASS

Water Activity and Moisture Content Analysis | Test ID: #131862

Analyte	Result	Limit	Pass/Fail
Moisture (%)	9.74	15	PASS
Water Activity (Aw)	0.49	0.65	PASS



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steePhill.com

Regulatory Compliance Testing Certificate of Analysis

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: $\mu\text{g}/\text{kg}$ | Test ID: #131861

Analyte	Pass/Fail	Result ($\mu\text{g}/\text{g}$)	Limit	LOD ($\mu\text{g}/\text{g}$)	LOQ ($\mu\text{g}/\text{g}$)
Arsenic	Pass	ND	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	< LOQ	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	0.079	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	< LOQ	1.000	0.055	0.166



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS16190





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #131865

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Fonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Pacllobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins PASS

Mycotoxins (LC-MS) - Limit units: ug/g = ppm | Test ID: #131863

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)
Aflatoxin B1	PASS	ND	20.0	0.0007
Aflatoxin B2	PASS	ND	20.0	0.0004
Aflatoxin G1	PASS	ND	20.0	0.0004
Aflatoxin G2	PASS	ND	20.0	0.0006
Ochratoxin A	PASS	ND	20.0	0.0004

Microbials PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

Foreign Material Pass


Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris

Whitney Morris
 Lab Director
 12/29/2025



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

