



2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Client Name: Gautier Agricultural Company
Client Address: 3100 Ladnier Road, Gautier, Ms 39553
License Number: CULV004130

Sample Name: Curacao
Sample ID: MS15885
METRC ID (LOT#): 1A4230100003AFD000003806
Batch Number: 1A4230100003AFD000003808
Sample Matrix: Flower
Total Batch Size (#), Units in Batch (count):
Total Sample Weight (g), Units Sampled (count): 12.6
Sample Density(g/ml):
Servings Per Container (#):
Serving Mass (g):
Grams per Package:
Date Sampled: 11/26/2025
Date Received: 11/26/2025
Date Reported: 12/3/2025

Sample Result: PASS



Cannabinoids PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #129604

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	ND	ND	0.0204	0.0616
CBD	ND	ND	ND	ND	0.0300	0.0907
CBDA	0.2437	2.437	0.2237	2.237	0.0333	0.1003
CBDV	ND	ND	ND	ND	0.0370	0.1128
CBG	0.0765	0.765	0.0702	0.702	0.0304	0.0924
CBGA	0.9886	9.886	0.9075	9.075	0.0320	0.0970
CBN	ND	ND	ND	ND	0.0291	0.0878
d8-THC	ND	ND	ND	ND	0.0237	0.0720
d9-THC	1.25	12.5	1.1475	11.475	0.0241	0.0728
THCA	27.3603	273.603	25.1168	251.168	0.0250	0.0749
THCV	ND	ND	ND	ND	0.0295	0.0891

Total Cannabinoids		
	% (Dry)	mg/g (Dry)
Total THC:	25.2	252.450
Total CBD:	0.214	2.137
Total Cannabinoids:	26.402	264.022

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #129608

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
beta-Myrcene	1.3947	13.947	0.032	0.261
(±)-Limonene	0.6152	6.152	0.032	0.247
Total Farnesene	0.2367	2.367	0.022	0.073
beta-Caryophyllene	0.2175	2.175	0.032	0.329
Total Bisabolene	0.1584	1.584	0.007	0.055
(Z)-beta-Ocimene	0.1133	1.133	0.022	0.209
(-)-Linalool	0.1085	1.085	0.032	0.429
(+) alpha-Pinene	0.0988	0.988	0.032	0.338
Guaiol	0.0841	0.841	0.032	0.322
Fenchyl Alcohol	0.0813	0.813	0.032	0.272
(-) beta-Pinene	0.0709	0.709	0.032	0.276
alpha-Humulene	0.066	0.66	0.031	0.282
trans-Nerolidol	0.0572	0.572	0.032	0.558
(-)-alpha-Bisabolol	0.056	0.56	0.032	0.402
Total Terpeneol	0.0522	0.522	0.007	0.078
Terpinolene	0.0272	0.272	0.031	0.247
(E)-beta-Ocimene	0.0168	0.168	0.010	0.097
Camphene	<LOQ	<LOQ	0.032	0.285
Sabinene	<LOQ	<LOQ	0.032	0.256
alpha-Phellandrene	<LOQ	<LOQ	0.032	0.281
alpha-Terpinene	<LOQ	<LOQ	0.032	0.322
Eucalyptol	<LOQ	<LOQ	0.032	0.306
gamma-Terpinene	<LOQ	<LOQ	0.032	0.227
Sabinene Hydrate	<LOQ	<LOQ	0.031	0.358
Fenchone	<LOQ	<LOQ	0.032	0.196
(±)-Isopulegol	<LOQ	<LOQ	0.032	0.411
Isoborneol	<LOQ	<LOQ	0.032	0.294
(±)-Borneol	<LOQ	<LOQ	0.063	0.699
Nerol	<LOQ	<LOQ	0.032	0.705
Caryophyllene Oxide	<LOQ	<LOQ	0.032	0.320
Cedrol	<LOQ	<LOQ	0.032	0.320
(+)-3-delta-Carene	ND	ND	0.032	0.333
Camphor	ND	ND	0.063	0.429
Menthol	ND	ND	0.032	0.308
Pulegone	ND	ND	0.032	0.370
Geraniol	ND	ND	0.079	0.600
Geranyl Acetate	ND	ND	0.032	0.399
alpha-Cedrene	ND	ND	0.032	0.285
(+)-Valencene	ND	ND	0.032	0.344
cis-Nerolidol	ND	ND	0.032	0.524
Total Terpenes	3.4548	34.548		

Moisture

PASS

Water Activity and Moisture Content Analysis | Test ID: #129606

Analyte	Result	Limit	Pass/Fail
Moisture (%)	8.20	15	PASS
Water Activity (Aw)	0.39	0.65	PASS



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steephill.com

Regulatory Compliance Testing Certificate of Analysis

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: $\mu\text{g}/\text{kg}$ | Test ID: #129605

Analyte	Pass/Fail	Result ($\mu\text{g}/\text{g}$)	Limit	LOD ($\mu\text{g}/\text{g}$)	LOQ ($\mu\text{g}/\text{g}$)
Arsenic	Pass	< LOQ	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	ND	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	0.168	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	ND	1.000	0.055	0.166



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS15885





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #129609

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Pacllobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
 Flowood, Mississippi 39232
 License #: TESL000161
 601-910-3001
 info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins PASS

Mycotoxins (LC-MS) - Limit units: ug/g = ppm | Test ID: #129607

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)
Aflatoxin B1	PASS	ND	20.0	0.0007
Aflatoxin B2	PASS	ND	20.0	0.0004
Aflatoxin G1	PASS	ND	20.0	0.0004
Aflatoxin G2	PASS	ND	20.0	0.0006
Ochratoxin A	PASS	ND	20.0	0.0004

Microbials PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

Foreign Material Pass

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris

Whitney Morris
 Lab Director
 12/3/2025



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

