



2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis



Client Name: Gautier Agricultural Company

Client Address: 3100 Ladnier Road, Gautier, Ms 39553

License Number: CULV004130



Sample Name: Street Tarts

Sample ID: MS19680

METRC ID (LOT#): 1A4230100003AFD000006726

Batch Number: 1A4230100003AFD000006640

Sample Matrix: Flower

Total Batch Size (#), Units in Batch (count): 11350

Total Sample Weight (g), Units Sampled (count): 10

Sample Density(g/ml):

Servings Per Container (#):

Serving Mass (g):

Grams per Package:

Date Sampled: 7/1/2026

Date Received: 7/1/2026

Date Reported: 7/15/2026

Sample Result: PASS



Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #159190

Analyte	% (Dry)	mg/g (Dry)	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	ND	ND	0.0208	0.0629
CBD	ND	ND	ND	ND	0.0306	0.0926
CBDA	0.0797	0.797	0.0719	0.719	0.0340	0.1024
CBDV	ND	ND	ND	ND	0.0378	0.1151
CBG	0.2256	2.256	0.2036	2.036	0.0310	0.0943
CBGA	2.4659	24.659	2.2252	22.252	0.0327	0.0990
CBN	ND	ND	ND	ND	0.0297	0.0896
d8-THC	ND	ND	ND	ND	0.0242	0.0735
d9-THC	0.3051	3.051	0.2753	2.753	0.0246	0.0743
THCA	29.9987	299.987	27.0708	270.708	0.0255	0.0765
THCV	ND	ND	ND	ND	0.0302	0.0909

Total Cannabinoids		
	% (Dry)	mg/g (Dry)
Total THC:	26.6	266.140
Total CBD:	0.070	0.699
Total Cannabinoids:	29.072	290.721

Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)



Sample ID: MS19680

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #159194

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
beta-Caryophyllene	0.4123	4.123	0.032	0.330
Total Farnesene	0.3394	3.394	0.022	0.073
(±)-Limonene	0.2092	2.092	0.032	0.247
Total Bisabolene	0.17	1.7	0.007	0.056
(-)-Linalool	0.1065	1.065	0.032	0.429
alpha-Humulene	0.103	1.03	0.031	0.283
beta-Myrcene	0.0847	0.847	0.032	0.261
Fenchyl Alcohol	0.0534	0.534	0.032	0.272
(-)-alpha-Bisabolol	0.0491	0.491	0.032	0.403
(-) beta-Pinene	0.0456	0.456	0.032	0.276
Total Terpineol	0.0452	0.452	0.007	0.078
(+) alpha-Pinene	0.0348	0.348	0.032	0.338
(Z)-beta-Ocimene	0.0232	0.232	0.022	0.210
Fenchone	0.0212	0.212	0.032	0.196
Camphene	<LOQ	<LOQ	0.032	0.286
Sabinene	<LOQ	<LOQ	0.032	0.256
alpha-Phellandrene	<LOQ	<LOQ	0.032	0.281
Eucalyptol	<LOQ	<LOQ	0.032	0.306
gamma-Terpinene	<LOQ	<LOQ	0.032	0.227
Sabinene Hydrate	<LOQ	<LOQ	0.031	0.358
Terpinolene	<LOQ	<LOQ	0.031	0.247
Camphor	<LOQ	<LOQ	0.063	0.429
Isoborneol	<LOQ	<LOQ	0.032	0.294
(±)-Borneol	<LOQ	<LOQ	0.063	0.700
alpha-Cedrene	<LOQ	<LOQ	0.032	0.285
(+)-Valencene	<LOQ	<LOQ	0.032	0.345
trans-Nerolidol	<LOQ	<LOQ	0.032	0.558
Caryophyllene Oxide	<LOQ	<LOQ	0.032	0.320
Guaiol	<LOQ	<LOQ	0.032	0.322
Cedrol	<LOQ	<LOQ	0.032	0.320
(+)-3-delta-Carene	ND	ND	0.032	0.333
alpha-Terpinene	ND	ND	0.032	0.322
(E)-beta-Ocimene	ND	ND	0.010	0.097
(±)-Isopulegol	ND	ND	0.032	0.411
Menthol	ND	ND	0.032	0.309
Nerol	ND	ND	0.032	0.706
Pulegone	ND	ND	0.032	0.371
Geraniol	ND	ND	0.079	0.600
Geranyl Acetate	ND	ND	0.032	0.400
cis-Nerolidol	ND	ND	0.032	0.524
Total Terpenes	1.6921	16.921		

Moisture

PASS

Water Activity and Moisture Content Analysis | Test ID: #159192

Analyte	Result	Limit	Pass/Fail
Moisture (%)	9.76	15	PASS
Water Activity (Aw)	0.49	0.65	PASS



Sample ID: MS19680

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: $\mu\text{g/g}$ | Test ID: #159191

Analyte	Pass/Fail	Result ($\mu\text{g/g}$)	Limit	LOD ($\mu\text{g/g}$)	LOQ ($\mu\text{g/g}$)
Arsenic	Pass	ND	0.400	0.016	0.050
Cadmium	Pass	ND	0.400	0.022	0.067
Chromium	Pass	< LOQ	1.200	0.065	0.198
Copper	NT	NT	NT	0.083	0.251
Lead	Pass	0.067	1.000	0.021	0.062
Mercury	Pass	ND	0.200	0.028	0.084
Nickel	Pass	< LOQ	1.000	0.055	0.166



Sample ID: MS19680

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #159195

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	ND	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	ND	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	ND	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	ND	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	ND	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS19680





2001 Airport Road, Suite 301
Flowood, Mississippi 39232
License #: TESL000161
601-910-3001
info@ms.steepphill.com

Regulatory Compliance Testing Certificate of Analysis

Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: ug/kg = ppb | Test ID: #159193

Analyte	Pass/Fail	Result (µg/kg)	Limit	LOD (µg/kg)	LOQ (µg/kg)
Aflatoxin B1		ND		0.679	2.060
Aflatoxin B2		ND		0.433	1.313
Aflatoxin G1		ND		0.373	1.340
Aflatoxin G2		ND		0.632	1.910
Ochratoxin A	PASS	ND	20.0	0.446	1.352
Total Aflatoxins	PASS	ND	20.0		

Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus1	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Total Yeast and Mold	0	10,000 CFU/g	Pass
Total Coliforms	0	100 CFU/g	Pass

Foreign Material

Pass

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	Pass

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

Whitney Morris

Whitney Morris
Lab Director
7/15/2026



Sample ID: MS19680

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

